

ICS 65.100
G 25

GB

National Standard of the People's Republic of China

GB 2763—2012

Replace GB 2763—2005, GB 25193-2010

GB 26130-2010, GB 28260-2011

National food safety standard

Maximum residue limits for pesticides in food

食品安全国家标准

食品中农药最大残留限量

Issued on November 16, 2012

Implemented on March 01, 2013

This standard is jointly issued by the Ministry of Public Health of the
People's Republic of China and the Ministry of Agriculture of the
People's Republic of China

Contents

| | | |
|----------|--|----|
| 1 | Scope | 10 |
| 2 | Normative reference | 10 |
| 3 | Terms and definitions | 10 |
| 3.1 | residue definition..... | 10 |
| 3.2 | maximum residue limit (MRL)..... | 10 |
| 3.3 | extraneous maximum residue limit (EMRL)..... | 10 |
| 3.4 | acceptable daily intake (ADI)..... | 10 |
| 4 | Technical requirements | 10 |
| 4.1 | 2, 4-D and 2, 4-D Na salts..... | 10 |
| 4.2 | 2, 4-D butylate..... | 11 |
| 4.3 | MCPA (sodium)..... | 11 |
| 4.3.1 | Main uses: Herbicide..... | 11 |
| 4.4 | Abamectin..... | 12 |
| 4.5 | Chlormequat..... | 13 |
| 4.6 | Ethametsulfuron..... | 13 |
| 4.7 | Paraquat..... | 13 |
| 4.8 | Chlorothalonil..... | 14 |
| 4.9 | Fenthion..... | 15 |
| 4.10 | Fenbutatin oxide..... | 16 |
| 4.11 | Tribenuron-methyl..... | 17 |
| 4.12 | Benomyl..... | 17 |
| 4.13 | Fenothiocarb..... | 17 |
| 4.14 | Benzoximate..... | 18 |
| 4.15 | Difenoconazole..... | 18 |
| 4.16 | Mefenacet..... | 19 |
| 4.17 | Fenamiphos..... | 19 |
| 4.18 | Pyraflufen-ethyl..... | 20 |
| 4.19 | Imidacloprid..... | 20 |
| 4.20 | Fluazifop and fluazifop-P-butyl..... | 21 |
| 4.21 | Pyrazosulfuron-ethyl..... | 21 |
| 4.22 | Pymetrozine..... | 21 |
| 4.23 | Pyraclostrobin..... | 21 |
| 4.24 | Bensulfuron-methyl..... | 22 |
| 4.25 | Pretilachlor..... | 22 |
| 4.26 | Propiconazol..... | 23 |
| 4.27 | Benfuracarb..... | 23 |
| 4.28 | Oxadiargyl..... | 23 |
| 4.29 | Flumioxazin..... | 24 |

| | |
|---|----|
| 4.30 Propineb | 24 |
| 4.31 Profenofos | 24 |
| 4.32 Glufosinate-ammonium | 25 |
| 4.33 Benazolin-ethyl | 25 |
| 4.34 Glyphosate | 25 |
| 4.35 Chlorfenapyr | 26 |
| 4.36 Tebufenozide | 27 |
| 4.37 Diflubenzuron | 27 |
| 4.38 Kasugamycin | 28 |
| 4.39 Pyridaben | 28 |
| 4.40 Amobam | 28 |
| 4.41 Metriam | 29 |
| 4.42 Mancozeb | 29 |
| 4.43 Zineb | 31 |
| 4.44 Semiamitraz and semiamitraz chloride | 31 |
| 4.45 Cyanamide | 31 |
| 4.46 Phenthoate | 31 |
| 4.47 Isoprothiolane | 32 |
| 4.48 Fenoxanil | 32 |
| 4.49 Trichlorfon | 32 |
| 4.50 Propanil | 33 |
| 4.51 Diquat | 34 |
| 4.52 Diuron | 34 |
| 4.53 Dichlorvos | 34 |
| 4.54 Anilazine | 36 |
| 4.55 Edifenphos | 36 |
| 4.56 Fonofos | 36 |
| 4.57 Butachlor | 37 |
| 4.58 Carbosulfan | 38 |
| 4.59 Diafenthiuron | 39 |
| 4.60 Acetamiprid | 39 |
| 4.61 Boscalid | 40 |
| 4.62 Chlorpyrifos | 40 |
| 4.63 Parathion | 41 |
| 4.64 Carbendazim | 42 |
| 4.65 Spinosad | 44 |
| 4.66 Paclobutrazol | 44 |
| 4.67 Oxadiazon | 45 |
| 4.68 Hymexazol | 45 |
| 4.69 Oxaziclomefone | 45 |
| 4.70 Oxadixyl | 46 |
| 4.71 Famoxadone | 46 |
| 4.72 Diphenylamine | 46 |
| 4.73 Pendimethalin | 47 |

| | |
|---|----|
| 4.74 Clopyralid..... | 47 |
| 4.75 Quinclorac | 47 |
| 4.76 Diazinon | 48 |
| 4.77 Dithianon..... | 48 |
| 4.78 Flutriafol..... | 48 |
| 4.79 Rimsulfuron..... | 49 |
| 4.80 Phosalone | 49 |
| 4.81 Tau-fluvalinate | 49 |
| 4.82 Teflubenzuron | 50 |
| 4.83 Flucetosulfuron..... | 50 |
| 4.84 Haloxyfop-methyl and haloxyfop-P-methyl..... | 51 |
| 4.85 Fipronil | 51 |
| 4.86 Flufenoxuron | 51 |
| 4.87 Fluazinam..... | 52 |
| 4.88 Chlorfluazuron | 52 |
| 4.89 Flusilazole..... | 53 |
| 4.90 Epoxiconazole | 53 |
| 4.91 Fomesafen | 53 |
| 4.92 Triflumizole..... | 54 |
| 4.93 Trifluralin | 54 |
| 4.94 Hexaflumuron | 54 |
| 4.95 Cyfluthrin and beta-cyfluthrin..... | 55 |
| 4.96 Flumorph | 55 |
| 4.97 Procymidone | 56 |
| 4.98 Thiram..... | 56 |
| 4.99 Ziram | 57 |
| 4.100 Flucythrinate..... | 57 |
| 4.101 Flumiclorac | 58 |
| 4.102 Flutolanil | 59 |
| 4.103 Flucarbazone-sodium | 59 |
| 4.104 Fludioxonil | 59 |
| 4.105 Thiobencarb..... | 59 |
| 4.106 Molinate | 60 |
| 4.107 Diclofop-methyl | 60 |
| 4.108 Cyclosulfamuron | 60 |
| 4.109 Hexazinone..... | 60 |
| 4.110 Hexaconazole | 61 |
| 4.111 Emamectin benzoate | 61 |
| 4.112 Methamidophos..... | 62 |
| 4.113 Phorate..... | 62 |
| 4.114 Alachlor..... | 63 |
| 4.115 Metsulfuron-methyl..... | 64 |
| 4.116 Iodosulfuron-methyl-sodium..... | 64 |
| 4.117 Chlorpyrifos-methyl..... | 64 |

| | |
|--|----|
| 4.118 Parathion-methyl | 65 |
| 4.119 Mesosulfuron-methyl | 66 |
| 4.120 Tolclofos-methyl | 67 |
| 4.121 Phosfolan-methyl | 67 |
| 4.122 Thiophanate-methyl | 68 |
| 4.123 Pirimiphos-methyl | 68 |
| 4.124 Isofenphos-methyl | 68 |
| 4.125 Imazapic | 69 |
| 4.126 Carbaryl | 70 |
| 4.127 Fenpropathrin | 70 |
| 4.128 Metalaxyl and metalaxyl-M | 71 |
| 4.129 Methoxyfenozide | 72 |
| 4.130 Imazamox | 72 |
| 4.131 Fenbuconazole | 72 |
| 4.132 Myclobutanil | 73 |
| 4.133 Fenoxaprop-P-ethyl | 73 |
| 4.134 Monocrotophos | 74 |
| 4.135 Pirimicarb | 75 |
| 4.136 Carbofuran | 75 |
| 4.137 Captan | 76 |
| 4.138 Quizalofop and quizalofop-P-ethyl | 77 |
| 4.139 Oxine-copper | 77 |
| 4.140 Quinalphos | 78 |
| 4.141 Dimethoate | 78 |
| 4.142 Bifenazate | 79 |
| 4.143 Bifenthrin | 80 |
| 4.144 Phosphamidon | 80 |
| 4.145 Aluminium phosphide | 81 |
| 4.146 Megnesium phosphide | 82 |
| 4.147 Eendosulfan | 82 |
| 4.148 Phosfolan | 83 |
| 4.149 Thiodicarb | 83 |
| 4.150 Cadusafos | 84 |
| 4.151 Spirotetramat | 84 |
| 4.152 Spirodiclofen | 84 |
| 4.153 Chlortoluron | 85 |
| 4.154 Chlorpropham | 85 |
| 4.155 Fenarimol | 85 |
| 4.156 Halosulfuron-methyl | 85 |
| 4.157 Forchlorfenuron | 86 |
| 4.158 Fluroxypyr and fluroxypyr-mepthyl | 86 |
| 4.159 Cyhalothrin and lambda-cyhalothrin | 86 |
| 4.160 Chloropicrin | 87 |
| 4.161 Chlorsulfuron | 88 |

| | |
|--|-----|
| 4.162 Permethrin | 88 |
| 4.163 Chlorimuron-ethyl | 89 |
| 4.164 Cypermethrin and beta-cypermethrin | 90 |
| 4.165 Isazofos | 91 |
| 4.166 Malathion | 91 |
| 4.167 Dicamba | 93 |
| 4.168 Prochloraz and prochloraz-manganese chloride complex | 93 |
| 4.169 Cinosulfuron | 94 |
| 4.170 Etofenprox | 94 |
| 4.171 Kresoxim-methyl | 95 |
| 4.172 Azoxystrobin | 95 |
| 4.173 Pyrimethanil | 96 |
| 4.174 Imazaquin | 96 |
| 4.175 Imazethapyr | 97 |
| 4.176 Bentazone | 97 |
| 4.177 Methomyl | 97 |
| 4.178 Blasticidin-S | 98 |
| 4.179 Ethoprophos | 98 |
| 4.180 Mepronil | 99 |
| 4.181 Cyromazine | 99 |
| 4.182 Chlorbenzuron | 99 |
| 4.183 1-naphthylacetic acid and sodium 1-naphthalacetic acid | 100 |
| 4.184 Demeton | 100 |
| 4.185 Dimepiperate | 101 |
| 4.186 Metribuzin | 101 |
| 4.187 Cyanazine | 102 |
| 4.188 Cyhalofop-butyl | 102 |
| 4.189 Cyazofamid | 102 |
| 4.190 Fenvalerate and esfenvalerate | 103 |
| 4.191 Clodinafop-propargyl | 104 |
| 4.192 Propargite | 104 |
| 4.193 Lactofen | 105 |
| 4.194 Thidiazuron | 105 |
| 4.195 Thiacloprid | 106 |
| 4.196 Thiamethoxam | 106 |
| 4.197 Thifensulfuron-methyl | 106 |
| 4.198 Thiabendazole | 107 |
| 4.199 Hexythiazox | 107 |
| 4.200 Benziothiazolinone | 108 |
| 4.201 Buprofezin | 108 |
| 4.202 Fosthiazate | 109 |
| 4.203 Fentin hydroxide | 109 |
| 4.204 Acifluorfen | 109 |
| 4.205 Tricyclazole | 109 |

| | |
|---|-----|
| 4.206 Dicofol..... | 110 |
| 4.207 Tetradifon..... | 110 |
| 4.208 Fosetyl-aluminium | 110 |
| 4.209 Triadimenol | 111 |
| 4.210 Triazophos..... | 111 |
| 4.211 Triadimefon..... | 112 |
| 4.212 Azocyclotin | 112 |
| 4.213 Thiosultap-monosodium..... | 113 |
| 4.214 Thiocyclam..... | 113 |
| 4.215 Chlordimeform | 114 |
| 4.216 Bisultap thiosultap-disodium..... | 114 |
| 4.217 Triflumuron | 114 |
| 4.218 Cartap | 115 |
| 4.219 Fenitrothion | 115 |
| 4.220 Methidathion | 116 |
| 4.221 Florasulam..... | 117 |
| 4.222 Iminoctadinetris (albesilate) | 117 |
| 4.223 Amitraz..... | 117 |
| 4.224 Propamocarb and propamocarb hydrochloride | 118 |
| 4.225 Cymoxanil | 118 |
| 4.226 Isocarbophos..... | 119 |
| 4.227 Metaldehyde..... | 119 |
| 4.228 Fthalide phthalide..... | 120 |
| 4.229 Clofentezine | 120 |
| 4.230 Terbufos | 120 |
| 4.231 Aldicarb..... | 121 |
| 4.232 Desmedipham..... | 122 |
| 4.233 Phenmedipham | 123 |
| 4.234 Metam-sodium | 123 |
| 4.235 Carboxin..... | 123 |
| 4.236 Trifloxystrobin | 123 |
| 4.237 Quintozene | 124 |
| 4.238 Tebuconazole | 124 |
| 4.239 Simetryn | 125 |
| 4.240 Simazine..... | 125 |
| 4.241 Clethodim..... | 126 |
| 4.242 Nitenpyram..... | 126 |
| 4.243 Sethoxydim | 126 |
| 4.244 Xiwojunan | 127 |
| 4.245 Dimethomorph | 127 |
| 4.246 Diniconazole..... | 127 |
| 4.247 Amidosulfuron | 128 |
| 4.248 Mesotrione..... | 128 |
| 4.249 Phoxim | 129 |

| | |
|---|-----|
| 4.250 Bromoxynil | 130 |
| 4.251 Methyl bromide | 130 |
| 4.252 Bromothalonil | 130 |
| 4.253 Bromopropylate | 131 |
| 4.254 Deltamethrin | 131 |
| 4.255 Vamidothion | 132 |
| 4.256 Phosmet | 133 |
| 4.257 Imibenconazole | 133 |
| 4.258 Nicotine | 134 |
| 4.259 Nicosulfuron | 134 |
| 4.260 Omethoate | 134 |
| 4.261 Triallate | 135 |
| 4.262 Difenzoquat | 135 |
| 4.263 Ivermectin | 136 |
| 4.264 Acetochlor | 136 |
| 4.265 Ethiprole | 136 |
| 4.266 Spinetoram | 137 |
| 4.267 Ethion | 137 |
| 4.268 Etoxazole | 137 |
| 4.269 Diethofencarb | 138 |
| 4.270 Ethirimol | 138 |
| 4.271 Fluoroglycofen-ethyl | 138 |
| 4.272 Vinclozolin | 138 |
| 4.273 Ethephon | 139 |
| 4.274 Acephate | 139 |
| 4.275 Oxyfluorfen | 140 |
| 4.276 Ethoxysulfuron | 141 |
| 4.277 Propisochlor | 141 |
| 4.278 Metolachlor and s-metolachlor | 141 |
| 4.279 Isoproturon | 142 |
| 4.280 Isoprocab | 142 |
| 4.281 Iprobenfos | 143 |
| 4.282 Clomazone | 143 |
| 4.283 Iprodione | 143 |
| 4.284 Imazalil | 144 |
| 4.285 Azadirachtin | 144 |
| 4.286 Indoxacarb | 144 |
| 4.287 Coumaphos | 145 |
| 4.288 Ametryn | 145 |
| 4.289 Atrazine | 146 |
| 4.290 Rotenone | 146 |
| 4.291 Sulfotep | 146 |
| 4.292 Butralin | 147 |
| 4.293 Fenobucarb | 147 |

| | |
|---------------------------------|-----|
| 4.294 Carfentrazone-ethyl | 148 |
| 4.295 Tolfenpyrad | 148 |
| 4.296 Fenpyroximate | 148 |
| 4.297 Flumetsulam | 149 |
| 4.298 Aldrin | 149 |
| 4.299 DDT | 150 |
| 4.300 Dieldrin | 152 |
| 4.301 Camphechlor | 153 |
| 4.302 Lindane | 153 |
| 4.303 HCB | 154 |
| 4.304 Chlordane | 155 |
| 4.305 Mirex | 156 |
| 4.306 Heptachlor | 157 |
| 4.307 Endrin | 158 |
| Annex A (Informative) | 159 |
| Annex B (Informative) | 163 |
| Annex C (Informative) | 171 |

Foreword

This standard replaces the following standards. The indicators of this standard referred in the other national standards shall be subject to this standard.

- GB 2763-2005 *Maximum residue limits for pesticides in food*;
- No.1 Amendment of GB2763-2005 *Maximum residue limits for pesticides in food*;
- 4.3.3 Maximum residual limit of pesticide specified in GB 2715-2005 *Hygienic standard for grains*;
- GB 25193-2010 *Maximum residue limits for 12 pesticides in food*;
- GB 26130-2010 *Maximum residue limits for 54 pesticides in food*;
- GB 28260-2011 *National food safety standard Maximum residue limits for 85 pesticides in food*.

Following standards are abolished since implementation of this standard:

- NY 660-2003 *Maximum residue limits of carbaryl, carbosulfan, carbendazim, propoxur and pirimicarb in tea*;
- NY 661-2003 *Maximum residue limits of cyfluthrin and flucythrinate in tea*;
- NY 662-2003 *Maximum residue limits of alcohol, carbofuran, chlorothalonil, fenamiphos and metolachlor in peanuts*;
- NY 773-2004 *Maximum residue limits for acetamiprid in fruits*;
- NY 774-2004 *Maximum residue limits for pesticides in leafy vegetable*;
- NY 775-2004 *Maximum residue limits for pesticides in leafy vegetable*;
- NY 831-2004 *Maximum residue limits for 7 pesticides in citrus*;
- NY 1500-2007 *Maximum residue limits for pesticides in leafy vegetable*;
- NY 1500-2008 *Maximum residue limits for 20 pesticides in vegetable and fruits*;
- NY 1500-2009 *Maximum residue limits for pesticides in leafy vegetable*.

The main differences between this standard and those replaced are as follows:

- The pesticide name, residue definition, acceptable daily intake, food name and the other information has been verified and amended.
- For the problems such as crossing, repetitive out-of-date contents, and non-coordinative problems, some limits are modified accordingly based on results of dietary exposure risk assessment and by reference to pesticide registration.
- The standard of pesticide maximum residue limit of some of food is added.
- The types and categories of food are broken down.

The Annexes A, B, and C of this standard are informative.

Maximum residue limits for pesticides in food

1 Scope

This standard specifies the maximum residue limit of 322 kinds of pesticide including 2293 items such as 2, 4-D etc.

This standard applies to food related to limit.

The food category and measuring location (Annex A) are used to define the scope of application of maximum residue limits for pesticides and only this standard applies. If the maximum residue limit for a certain pesticide is applicable to a certain food category, all of the food under this food category shall apply, unless otherwise specified.

2 Normative reference

The normative documents for application of this document are indispensable. For dated references, only the dated edition applies to this document. For undated references, the latest edition (including all amendments) applies.

3 Terms and definitions

For the purposes of this standard, the following terms and definitions apply.

3.1 residue definition

Any specific substance presented in food, agricultural product, and animal feed, including pesticide derivatives which are argued against the toxicological significance, such as pesticide converted substances, metabolism substances, reaction products, and impurities etc.

3.2 maximum residue limit (MRL)

The legally permissible maximum concentration of pesticide inside or on the surface of the food or agricultural products, expressed as residual pesticide in milligrams per kilogram of food or agricultural product (mg/kg).

3.3 extraneous maximum residue limit (EMRL)

Although some persistent pesticides are prohibited for use, they exist in the environment for a long time, forming residue in food once again. The residue limit of such residue definition is established to control its pollution to food, expressed as residual pesticide in milligrams per kilogram of food or agricultural product (mg/kg)

3.4 acceptable daily intake (ADI)

The estimate that human ingests daily certain substance all its life but not to generate detectable danger to health, expressed as intakes per kilogram of weight in mg/kg bw.

4 Technical requirements

The maximum residue limit of each kinds of pesticide is specified as follows.

For relevant notes to specify limits, “*” represents the temporary limit.

4.1 2, 4-D and 2, 4-D Na salts

4.1.1 Main uses: Herbicide.

完整版本请在线下单

或咨询：

TEL: 400-678-1309

QQ: 19315219

Email: info@lancarver.com

<http://www.lancarver.com>

线下付款方式：

1. 对公账户：

单位名称：北京文心雕语翻译有限公司

开户行：中国工商银行北京清河镇支行

账 号：0200 1486 0900 0006 131

2. 支付宝账户：info@lancarver.com

注：付款成功后，请预留电邮，完整版本将在一个工作日内通过电子 PDF 或 Word 形式发送至您的预留邮箱，如需索取发票，下单成功后的三个工作日内安排开具并寄出，预祝合作愉快！



银联特约商户