NATIONAL STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA 中华人民共和国国家标准

Code for Design of Chimneys

烟囱设计规范

GB 50051-2002

Chief Editorial Department: Ministry of Construction of the People's Republic of China

Approving Department: Ministry of Construction of the People's Republic of China

Date of implementation: May 1, 2003

Bei jing 2003

NOTICE

This code is written in Chinese and English. The Chinese text shall be taken as the ruling one in the event of any inconsistency between the Chinese text and the English text.

Notice by Ministry of Construction of the People's Republic of China

No. 101

Notice on Promulgation of the national standard "Code for Design of Chimneys".

Hence "Code for Design of Chimneys" has been approved as the national standard with a serial number of GB50051--2002, which shall come into force upon May 1st, 2003. Herein, Clauses 3.1.1, 3.1.3, 3.2.2, 4.1.6, 5.2.1, 5.6.1, 5.6.2, 6.6.10, 7.1.1, 7.1.2, 8.1.4, 9.3.3, 11.6.7, 11.6.8, 11.6.12, 11.6.13 and 13.1.1 are mandatory clauses, which must be forced strictly. At the same time, the former "Code for Design of Chimneys" GBJ51—83 and its mandatory clauses are superseded.

This Code is published and issued by China Planning Press under the organization of the Institute of Norm and Ration of the Ministry of Construction of the People's Republic of China.

Ministry of Construction of the People's Republic of China

January 10, 2003

Preface

According to the requirement of relevant documents and Document [(99)JBJBZNo.20] issued by Norm and Ration Department of the Ministry of Construction of PRC, Baotou Engineering Research Institute of Iron and Steel jointly with other participating editorial units have revised thoroughly the "Code for Design of Chimneys" GBJ51—83 that was approved by State Planning Committee in 1983.

During the course of revision, the editorial group has carried out special theoretical research and laboratorial research, investigated and analyzed extensively; has carefully summarized the recent experience and scientific research achievements in the field of chimneys design both at home and aboard, and has extensively collected the comments from the units concerned all over China in various manners; and has finalized this version through repeatedly discussion, modification and trial design.

This Code consists of 13 chapters and 3 appendixes, in which the main contents involved in this revision include:

- 1. The former design method of limit state indicated by basic safety coefficient is replaced by the design method of approximate probability limit state of load itemized coefficient, combination coefficient and material itemized coefficient.
- 2. For the reinforced concrete chimney, the calculation formulas for reinforcement distribution at both sides of shell and two openings are added.
- 3. The contents concerning tube-in-tube chimney, multi-flue chimney, steel chimney and flue are added.
- 4. The contents concerning corrosion protection for chimneys and aviation warning lamp.
- 5. The calculation formulas for across-wind sympathetic vibration, underground temperature field, vertical earthquake action and heating temperature of ring-wall method are added.

Those clauses in block are mandatory clauses, which must be forced strictly. The Ministry of Construction will be responsible for the management and explanation on the mandatory clauses. Baotou Engineering Research Institute of Iron and Steel will be responsible for the explanation on the detailed technical contents. The users of this Code are kindly required to summarize experience based on project practice, and send any suggestion or comment regarding to necessary modification or supplementation to National Standard "Code for Design of Chimneys" Management Team of Baotou Engineering Research Institute of Iron and Steel (Baotou City, Mail Box No. 130; Post Code: 014010, Fax: 0472-2128941, Email: beris@public.hh.nm.cn).

Chief editorial unit, participating editorial units and major drafters of this Code:

Chief editorial unit: Baotou Engineering Research Institute of Iron and Steel

Participating editorial units: Xi'an University of Architecture and Technology
Dalian University of Technology
Northwest Power Design Institute
East China Power Design Institute

Shangdong Power Engineering and Consulting Institute China Chengdu Chemical Engineering Company Changsha Metallurgy Design Institute Anshan Coke Refractory Design Institute Beijing Metrology Institute

Major drafters: Niu Chun Liang, Yang Chuntian, Yu Suqing, Song Yupu, Wei Wenting; Lu Maosheng, Zhao Dehou; Ju Hongguo; Wang Zanhong; Huang Huijia; Huang Chengkui, Zhao Guofan, Yu Heling, Di Yuanhang, Fu Guoqing; Wei Yuepei, Zhang Changxin, Cai Hongliang, Jie Baoan, Qiao Yongsheng; Guo Liang; Zhu Xiangqian; Zhang Xiaoping.

Contents

1	Gen	neral	3
2	Ten	ms and Symbols	4
	2.1	Terms	4
	2.2	Symbol	5
3	Mat	terial	10
	3.1	Brick and rock	10
	3.2	Concrete	10
	3.3	Reinforcement and Steel	12
	3.4	Thermal calculation index of material	15
4	Bas	ic Principle of Design	17
	4.1	Design Principle	17
	4.2	General	20
	4.3	Allowable value of heating temperature on chimney	21
	4.4	Required limit value for reinforced concrete chimney shell	21
5	Loa	d and Action	22
	5.1	Classification of load and action	22
	5.2	Wind load	
	5.3	Installation and check load	23
	5.4	Ice load	23
	5.5	Earthquake action	23
	5.6	Temperature action	26
6	Bric	ck Chimney	30
	6.1	General	30
	6.2	Calculation of horizontal cross section	30
	6.3	Calculation of tie hoop.	
	6.4	Calculation of annular reinforcement	32
	6.5	Calculation of vertical reinforcement	32
	6.6	Stipulations of Structure	34
7	Sing	gle Drum RC Chimneys	39
	7.1	General Conditions	
	7.2	Calculation of Additional Bending Moment	39
	7.3	Calculation of Bearing Capacity Limit State of Chimney Shell	43
	7.4	Calculation of Normal Use Limit State of Chimney Shell	45
	7.5	The conformation specifications	55
8	Tele	scope feed and multi-tubes chimneys	59

	8.1	General requirements	.59
	8.2	The calculation specifications.	.60
	8.3	The conformation specifications	.62
9	The	steel chimney	66
	9.1	General requirements	66
	9.2	The steel chimney of tower type	66
	9.3	The self supporting steel chimney	67
	9.4	Steel chimney of tension cable type	70
16	0 Th	e corrosion protection of the chimney	72
	10.1	General requirements	72
	10.2	The choose of the structural type of the chimney discharging corrosive flue	72
	10.3	The corrosion protection design of the brick chimney	72
	10.4	The corrosion protection design of the single tube reinforced concrete chimney	73
	10.5	The corrosion protection design of the telescope feed and multi tubes chimney with brick inner tube	73
	10.6	The corrosion protection design of the telescope feed and multi tubes chimney with steel inner tube	74
	10.7	The corrosion protection design of the steel chimney	75
	10.8	The corrosion protection design of the flue pipe structure	75
1	1 Th	ne foundation of the chimney	76
	11.1	General Requirements	76
	11.2	The calculation of the foundation	76
	11.3	The calculation of the rigid foundation	77
	11.4	The calculation of slab foundation	77
	11.5	Calculation of Shell Foundation	83
	11.6	Foundation Structure	90
	12 H	imney flue	92
	12.	1 General Provision	92
	12.3	•	
	13 A	erial Obstacle Light and Sign	96
	13.	1 General Provision	96
	13.	Obstacle Light and Sign	96
	13.		
	13.	,	
	Apper	ndix A A formula for geometry feature of ring cross section	
	Apper	dix B The cross section of a welding barrel the coefficient of stability for axial compression	
		ndix C Calculation for final settlement and slanting of circular and round foundation	
	Expla	nation to wordings in the regulation	107

1 General

- 1.0.1 This code is drawn up for attaining an object in designing chimneys which are advanced in technique, reasonable in cost, suitable in use and ensured in quality.
- 1.0.2 This code applies to brick chimneys, reinforced concrete chimneys, steel chimneys, tube-in-tube chimneys, multi-flue chimneys, chimney foundation and flue design.
- 1.0.3 This code is prepared according to the principle of national standard "unified standard of building structure reliability design" (GB500068) and national standard "Standard of building structure design terms and symbols" (GB/T50083).
- **1.0.4** Besides complying with this Code, the design of chimney shall also comply with other current national mandatory standards.
- 1.0.5 The designed basic period of this Code is 50 years.



北京文心雕语翻译有限公司

Beijing Lancarver Translation Inc.

完整版本请在线下单

或咨询:

TEL: 400-678-1309

00: 19315219

Email: info@lancarver.com

http://www.lancarver.com

线下付款方式:

1. 对公账户:

单位名称:北京文心雕语翻译有限公司

开户行:中国工商银行北京清河镇支行

账号: 0200 1486 0900 0006 131

2. 支付宝账户: info@lancarver.com

注:付款成功后,请预留电邮,完整版本将在一个工作日内通过电子 PDF 或Word 形式发送至您的预留邮箱,如需索取发票,下单成功后的三个工作日内安排开具并寄出,预祝合作愉快!

