File No.: 9937-2002



PROFESSIONAL STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA 中华人民共和国医药行业标准

YY 0326.2-2002

Plasmapheresis centrifuge apparatus for single use—Part 2: Plasma tubing

一次性使用离心式血浆分离器 第 2 部分: 血浆管路

Issued on January 07, 2002

Implemented on April 01, 2002

Contents

| For | eword | 1 | |
|-----|--|----------------|--|
| 1 | Scope | 2 | |
| 2 | Normative references | 2 | |
| 3 | General requirements | 3 | |
| 4 | Material | 4 | |
| 5 | Physical requirements | 5 | |
| 6 | Chemical requirements | 7 | |
| 7 | Biological requirements | 8 | |
| 8 | Inspection rules | 9 | |
| 9 | Mark | 10 | |
| 10 | Package | 11 | |
| Anr | nex A (Normative) Sealing test | I requirements | |
| Anr | nex B (Normative) Ventilation test of pressure monitor connector | 13 | |
| Anr | Annex C (Normative) Negative blood test of pressure monitor connector 14 | | |
| Anr | nex D (Normative) Pump pipe flexibility test | 16 | |
| Anr | nex E (Informative) Bibliography | 17 | |

Foreword

The disposable plasmapheresis centrifuge apparatus is composed of plasma separation cup, plasma pipe and hemostix regulated in YY 0328, and is used with the centrifugal automatic plasma collection machine to collect, separate the human plasma and transfuse the blood.

The general title of YY 0326 is the disposable plasmapheresis centrifuge apparatus, which includes the following parts:

Part 1: Plasma separation cup

Part 2: Plasma pipe

Annex A, Annex B, Annex C and Annex D in this standard are the standard annex. Annex E is the informative annex.

This standard is proposed by the State Drug Administration.

This standard is under the jurisdiction of National Standardization Technical Committee of Medical Infusion Apparatus.

The drafting units of this standard: Shanghai Blood Center, Jinan Medical Device Quality Supervision and Inspection Center of State Drug Administration.

Units participating in draft of this standard: Sichuang Nangeer Medical Appliances Co., Ltd., Xi'an Zhengyuan Polymer Products Co., Ltd., Shanghai Xili Medical Co., Ltd.

Main drafters of this standard: Jiang Yueqin, Shi Yanping, Yao Lan, You Shaohua, Zhang Qiang, Pan Lihua, Lu Ansong.

Plasmapheresis centrifuge apparatus for single use-

Part 2: Plasma tubing

1 Scope

This standard regulates the requirements of the component of plasma pipe of the disposable plasmapheresis centrifuge apparatus (hereinafter referred to as the pipe" to ensure that the centrifugal automatic plasma collection machine is suitable to the plasma separation cup and blood collection apparatus.

2 Normative references

The articles contained in the following documents have become this standard when they are quoted herein. For the dated documents so quoted, all the modifications or revisions made thereafter shall not be applicable to this standard. For the undated documents so quoted, the latest editions shall be applicable to this standard.

GB/T 1962.2-2001 Conical fittings with a 6%(Luer) taper for syringes, needles and certain other medical equipment--Part 2:Lock fittings (idt ISO 594-2: 1998)

GB/T 2828-1987 Sampling procedures and tables for lot-by-lot inspection by attributes (Apply to inspection of successive lots or batches)

GB 8368-1998 Medical infusion sets for single use (eqv ISO 8536-4-1998)

GB 8369-1998 Medical transfusion sets for single use (eqv ISO 1135-4-1998)

GB/T 14233.1-1998 Infusion, transfusion, injection equipment for medical use--Part 1: Chemical analysis methods

GB/T 14233.2-1993 Infusion, transfusion, injection equipment for medical use—Part 2: Biological test methods

GB 15593-1995 Plasticized polyvinyl chloride (PVC) compounds for transfusion (infusion) equipment

GB/T 16886.1-2001 Biological evaluation of medical devices--Part 1: Evaluation and testing (idt ISO 10993-1:1997)

YY 0311-1998 General specification for single-use blood flow product

YY/T 0313-1998 Package, label, transport and storage for medical polymer products

YY 0326.1-2002 Plasmapheresis centrifuge apparatus for single use--Part 1: Centrifuge



北京文心雕语翻译有限公司

Beijing Lancarver Translation Inc.

完整版本请在线下单/Order Checks Online for Full version

联系我们/or Contact:

TEL: 400-678-1309

QQ: 19315219 | Skype: Lancarver

Email: info@lancarver.com

http://www.lancarver.com

线下付款方式:

I. 对公账户:

单位名称:北京文心雕语翻译有限公司

开户行:中国工商银行北京学清路支行

账 号: 0200 1486 0900 0006 131

II. 支付宝账户: info@lancarver.com

III. Paypal: info@lancarver.com

注: 付款成功后,请预留电邮,完整版本将在一个工作日内通过电子 PDF 或

Word 形式发送至您的预留邮箱,如需索取发票,下单成功后的三个工作日内安

排开具并寄出,预祝合作愉快!

NOTE All documents on the store are in electronic Adobe Acrobat PDF format, there is not sell or ship documents in hard copy. Mail the order and payment information to info@lancarver.com, you will shortly receive an e-mail confirming your order.







